


▶ VIDEO PRO STANDARD BANKS See Page 7							
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS 1 (1 FRONT SCREEN)	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #	ITEM#
XXS	12 x 16	30 x 40	10	25	500	8104	8105
XS	16 x 22	40 x 55	12	30	750	8114	8115
Small	24 x 32	60 x 80	18	45	1000	8124	8125
Medium	36 x 48	90 x 120	24	60	1200	8134	8135
Large	54 x 72	135 x 180	30	75	1200	8144	8145



▶ VIDEO PRO SHALLOW BANKS See Page 7							
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS 1 (1 FRONT SCREEN)	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #	ITEM #
XS	16 x 22	40 x 55	10	30	500	8014	8015
Small	24 x 32	60 x 80	13	33	750	8024	8025
Medium	36 x 48	90 x 120	16	41	1200	8034	8035
Large	54 x 72	135 x 180	22	57	1200	8044	8045




▶ VIDEO PRO STRIP BANKS See Page 7							
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS 1 (1 FRONT SCREEN)	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #	ITEM #
Small	9 x 36	20 x 90	16	40	750	8154	8155
Medium	14 x 56	35 x 140	22	56	1200	8164	8165
Large	21 x 84	50 x 210	29	74	1200	8174	8175




▶ DAYLITE STANDARD BANKS See Page 7							
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS 1 (1 FRONT SCREEN)	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #	ITEM #
Small	24 x 32	60 x 80	29	75	4000	8624	8625
Medium	36 x 48	90 x 120	40	100	6000	8634	8635
Large	54 x 72	135 x 180	48	120	12000	8644	8645



▶ DAYLITE SENIOR BANKS See Page 7							
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS 1 (1 FRONT SCREEN)	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #	ITEM #
Large	54 x 72	135 x 180	50	125	24000	8744	8745



DAYLITE JUNIOR BANKS See Page 7							
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS 1 (1 FRONT SCREEN)	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #	ITEM #
XXS	12 x 16	30 x 40	15	38	500	8204	8205
XS	16 x 22	40 x 55	18	45	750	8214	8215
Small	24 x 32	60 x 80	27	70	1000	8224	8225
Medium	36 x 48	90 x 120	36	92	1200	8234	8235



QUARTZ BANKS See Page 7							
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS 1 (1 FRONT SCREEN)	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #	ITEM #
Small	24 x 32	60 x 80	22	55	4000	8424	8425
Medium	36 x 48	90 x 120	29	75	6000	8434	8435
Large	54 x 72	135 x 180	38	95	12000	8444	8445



BARGER STRIP BANKS See Page 7							
Barger 4 Light Strip	14 x 56	35 x 140	26	66	2600	-	8365
Barger 6 Light Strip	21 x 84	50 x 210	31	78	3900	-	8375



MICRO BANKS See Page 7	
LIGHT FIXTURE	ITEM #
Anton Bauer Ultralight 2 / Ultra Daylight	1305
Lowel Pro-Light, I-Light, L-Light	1335
Dedolight LTM Pepper 100 Mole-Richardson Tiny 200 Sachtler Reporter 21D Zylight Z50, Z90	1355





▶ LED LIGHTBANKS (frame included) See Page 9		
MODEL	DESCRIPTION	H X W X D (IN)
1600	Litepanels Hilio	12 x 16 x 7
1610	Gekko Kelvin Tile	14.75 x 14.75 x 7
1625	Lowel Prime	22 x 13 x 7
1630	TruColor	36 x 48 x 15
1650*	Litepanels 1 x 1	14.75 x 14.75 x 7
1670	FloLight 1 x 1	14.75 x 14.75 x 7
1675	FloLight 512 Microbeam	9 x 14 x 7

*Also fits Bowens Limelite.



▶ BARN DOOR STYLE LIGHTBANKS (with 3 front screens: 30° LED / Full / 1/4 grid / storage sack) See Page 9		
MODEL	DESCRIPTION	H X W X D (IN)
1457	ikan ID 500	9.5 x 15 x 5.5
1458	ikan ID 36	13.5 x 13.5 x 6
1459	ikan ID 1000	15 x 15 x 8




▶ DUAL BLOCK LED LIGHTBANK* See Page 9						
SIZE	FRONT DIMENSIONS		DEPTH		RECOMMENDED MAXIMUM WATTAGE	PLUS (3 FRONT SCREENS)
	IN	CM	IN	CM		ITEM #
Small	24 x 32	60 x 80	22	55	For LED & Strobe only	8325
Medium	36 x 48	90 x 120	29	75	For LED & Strobe only	8335
Large	54 x 72	135 x 180	38	95	For LED & Strobe only	8345

© Celin Serbo

*Requires Quartz Daylite Speed Ring.



▶ MICRO 2 FOLDING LED BANKS See Page 9			
MODEL	FITS	FRONT FRAME W X H	REAR FRAME W X H
1400	Litepanels Micro Pro ikan iLED 144	177 mm x 32 mm 7 in x 5-3/4 in	132 mm x 95 mm 5-1/4 in x 3-3/4 in
1405	Litepanels Micro Lowel Blender Zylyght Z90	92 mm x 92 mm 3-5/8 in x 3-5/8 in	142 mm x 120 mm 5-5/8 in x 4-3/4 in
1410	Litepanels Mini Plus	204 mm x 92 mm 8 in x 3-5/8 in	170 mm x 60 mm 8-3/4 in x 2-3/8 in
1455	ikan iLED 312	220 mm x 140 mm 8-3/4 in x 5-1/2 in	180 mm x 105 mm 8-5/8 in x 5-3/8 in



▶ LENS SCREENS™ FOR 1 X 1 See Page 9		
MODEL	DESCRIPTION	TAB COLOR
LS30	30 degree Standard	Red
LS 05	5 degree Light Diffusion	Green
LS 330	3 x 30 degree Wide Coverage	Black
4550	Storage Bag for 1 x 1	





© Lynn Goldsmith



▶ BIRDCAGE See Page 11

MODEL	VOLTAGE	MAX WATTAGE
1810	120	500
1810 E	240	500




▶ LANTERNS See Page 11

SIZE	FRONT DIMENSIONS		RECOMMENDED MAXIMUM WATTAGES	DEPTH		WITH SKIRT
	IN	CM		IN	CM	ITEM #
20 inch	20 dia	50 dia	650	16	40	1880
30 inch	30 dia	76 dia	1000	26	66	1885



▶ PANCAKE LANTERNS See Page 11

SIZE	DIMENSIONS		RECOMMENDED MAXIMUM WATTAGES	DEPTH		WITH SKIRT	WITHOUT SKIRT
	IN	CM		IN	CM	ITEM #	ITEM #
Small	21 dia	51 dia	400	12	30	1860	1864
Medium	35 dia	89 dia	1500	17	43	1865	1869
Large	48 dia	122 dia	2000	19	48	1870	1874



▶ OCTAPLUS BANKS See Page 13


DESCRIPTION	DIAMETER		DEPTH		POLE LENGTH		SOFT SILVER INTERIOR
	IN	CM	IN	CM	IN	CM	ITEM #
OctaPlus 3 - Fixed 3' (.9m)	36	90	15	31	25	64	6030
OctaPlus 5 - Expandable 5' (1.5m)	60	150	18	45	36.5	92	6050
OctaPlus 57 - 5' (1.5m) with 7' (2.1m) Expansion Kit	84	210	27	68.5	53	134.5	6057
OctaPlus 57, Expansion Kit, #3750 Grip Head, #3770 Universal Grip Head Adapter, and Duffle	84	210	27	68.5	53	134.5	6058
7' (2.1m) Expansion Kit - to expand OctaPlus 5 to 7'	84	210	11	27.9	16.5	41.9	6051
OctaPlus 3 - Hi Heat 1000 Maximum Wattage	36	90	15	31	25	64	6060
OctaPlus 5 - Hi Heat 3200 Maximum Wattage	60	150	18	45	36.5	92	6070
OctaPlus 57 - Hi Heat 5' (1.5m) with 7' (2.1m) Expansion Kit	84	210	27	68.5	53	134.5	6077
OctaPlus 57 - Hi Heat Expansion Kit, #3750 Grip Head, #3770 Universal Grip Head Adapter, and Duffle	84	210	27	68.5	53	134.5	6078



▶ OCTA BEAUTY DISH *(strobe only)* See Page 13


DESCRIPTION	DIAMETER		DEPTH		POLE LENGTH		WHITE INTERIOR
	IN	CM	IN	CM	IN	CM	ITEM #
Octa 2 Beauty Dish	24	61	9	23	-	-	6010
OB2 PRO Kit*	24	61	9	23	-	-	6024
Octa 30 Beauty Dish	30	76	11	28	-	-	6015

*Includes Versi Octa Speed Ring.



▶ SUPER PRO STANDARD BANKS See Page 15						
SIZE	FRONT DIMENSIONS		DEPTH		WHITE INTERIOR	SILVER INTERIOR
	IN	CM	IN	CM	ITEM #	ITEM #
XXS	12 x 16	30 x 40	10	25	1105	1005
XS	16 x 22	40 x 55	12	30	1115	1015
Small	24 x 32	60 x 80	18	45	1125	1025
Medium	36 x 48	90 x 120	24	60	1135	1035
Large	54 x 72	135 x 180	30	75	1145	1045


© Terry Monahan




▶ SUPER PRO STRIP BANKS See Page 15						
SIZE	FRONT DIMENSIONS		DEPTH		WHITE INTERIOR	SILVER INTERIOR
	IN	CM	IN	CM	ITEM #	ITEM #
Small	9 x 36	20 x 90	16	40	1155	1055
Medium	14 x 56	35 x 140	22	55	1165	1065
Large	21 x 84	50 x 210	29	75	1175	1075



▶ SUPER PRO SHALLOW BANKS See Page 15					
SIZE	FRONT DIMENSIONS		DEPTH		SOFT SILVER INTERIOR
	IN	CM	IN	CM	ITEM #
XS	16 x 22	40 x 55	10	30	1215
Small	24 x 32	60 x 80	13	33	1225
Medium	36 x 48	90 x 120	16	41	1235
Large	54 x 72	135 x 180	22	57	1245



▶ PRO II BANKS See Page 15					
SIZE	FRONT DIMENSIONS		DEPTH		WHITE INTERIOR
	IN	CM	IN	CM	ITEM #
XS	16 x 22	40 x 55	12	30	1510
Small	24 x 32	60 x 80	18	45	1520
Medium	36 x 48	90 x 120	24	60	1530
Large	54 x 72	135 x 180	30	75	1540



▶ PRO II STRIP BANKS See Page 15					
SIZE	FRONT DIMENSIONS		DEPTH		WHITE INTERIOR
	IN	CM	IN	CM	ITEM #
Small	9 x 36	20 x 90	16	40	1550
Medium	14 x 56	35 x 140	22	55	1560
Large	21 x 84	50 x 210	29	75	1570



▶ MINI-MAXI BANKS See Page 15						
SIZE	FRONT DIMENSIONS		DEPTH		WHITE INTERIOR	SILVER INTERIOR
	IN	CM	IN	CM	ITEM #	ITEM #
Mini	12 x 16	30 x 40	10	25	1730	1710
Maxi	16 x 22	40 x 55	12	30	1740	1720



For Studio Light Speed Rings, see page 46.
 Also see Video Pro for use with both Continuous and Strobe Lights. See page 15.



▶ F2X See Page 17

SIZE		DEPTH		WEIGHT		LIGHT MOUNTS	ITEM #
5 x 10'	1.5 x 3m	3'	1m	74 lbs	33.5 kgs	2	8960
5 x 15'	1.5 x 4.5m	3'	1m	112 lbs	50.8 kgs	3	8965
10 x 20'	3 x 6m	3'	1m	148 lbs	67.1 kgs	8	8970
10 x 30'	3 x 9m	3'	1m	225 lbs	102 kgs	12	8980

▶ MODULAR F2 BANKS See Page 17

SIZE		DEPTH		WEIGHT		LIGHT MOUNTS	ITEM #
10 x 20'	3 x 6m	3'	1m	150 lbs	65 kg	16	8910
10 x 30'	3 x 9m	3'	1m	200 lbs	90 kg	24	8920
15 x 30'	4.5 x 9m	3'	1m	300 lbs	135 kg	36	8930
15 x 40'	4.5 x 12m	3'	1m	350 lbs	160 kg	48	8940

▶ F2X TRIOLET KITS **NEW** See Page 17

SIZE		DEPTH		WEIGHT		LIGHTS (INCL)*	ITEM #
5 x 10'	1.5 x 3m	3'	1m	74 lbs	33.5 kgs	2	8962
5 x 15'	1.5 x 4.5m	3'	1m	112 lbs	50.8 kgs	3	8967
10 x 20'	3 x 6m	3'	1m	148 lbs	67.1 kgs	8	8972
10 x 30'	3 x 9m	3'	1m	225 lbs	102 kgs	12	8982

© Allison Earnest

*Triplet body plus Stand Adapter for Mogul lamps.

▶ PROFESSIONAL LIGHTING KITS See Page 19

DESCRIPTION	WATTAGE	ITEM #
OB2 Pro Kit NEW		6024
TL Kit 24x32 Lightbank Kit w/o Grid	500 / 120V	7990
TL Kit 24x32 Lightbank Kit w/o Grid	1000 / 120V	7995
TL Kit 24x32 Lightbank Kit w/ Grid	500 / 120V	8000
TL Kit 24x32 Lightbank Kit w/ Grid	1000 / 120V	8005
TL Kit 24x32 Lightbank Kit w/o Grid	500 / 240V	7990E
TL Kit 24x32 Lightbank Kit w/o Grid	1000 / 240V	7995E
TL Kit 24x32 Lightbank Kit w/ Grid	500 / 240V	8000E
TL Kit 24x32 Lightbank Kit w/ Grid	1000 / 240V	8005E
Combi Video		8050
Combi Still - Silver		8060
Combi Still - White		8065
Lantern/Boom 20"* NEW		1820

*Includes 20" Standard Lantern and Boom.

