

SPEED RING DIAMETER		VIDEO PRO			OCTAPLUS	DAYLITE JUNIOR	QUARTZ/DAYLITE DUAL BLOCK	DAYLITE SENIOR	APPLICABLE STAND ADAPTER *B	MOLE-RICHARDSON MOLE.COM
IN *A	MM	STD.	ALUMINUM	QUICK RELEASE						
3	78	9610	9610AL	9610QR	9610OP				3770 or 3860	Tiny 200 (2901), Inbetweenie 200 (3101)
4 1/4	109	9620	9620AL	9620QR	9620OP	9622			3770 or 3860	
4 1/2	116	9630	9630AL	9630QR	9630OP	9632			3770 or 3860	Mini 200 (2801)
5	129	9640	9640AL	9640QR	9640OP	9642			3770 or 3860	
5 1/8	131	9810	9810AL	9810QR	9810OP	9812			3770 or 3860	Tweenie 650 (4821), Teenie Weenie 600 (4031), DigiMole 200 (8281), Betweenie 300, Midget 200 (2351), HMI 200 (6191)
5 1/4	134	9650	9650AL	9650QR	9650OP	9652			3770 or 3860	
6	152	9660	9660AL	9660QR	9660OP	9662			3770 or 3860	Teenie 650 (4051)
6 1/2	168	9670	9670AL	9670QR	9670OP	9672			3770 or 3860	
6 5/8	170		9100			9102			3770	DigiMole 400 (8291), 575 HMI (6241), Baby 1K (407) (3081), 200 HMI Par (6411)
7 1/4	184		9120			9122			3700 or 3860	575 Par (6211), Baby Baby 1K (2831), Mickey 1K (4081) *1
7 3/8	189		9130			9132			3700 or 3860	
7 3/4	197		9190			9192			3700 or 3860	
7 7/8	200		9150			9152			3700 or 3860	
8	203	9170				9172				Mole 800 HMI Par (6821)
8 1/2	215		9160			9162			3700 or 3860	
9 (*2)	230		9180			9182	9185		3700, 3860 or 3710	1200 HMI (6251), Baby JR 2K (4131), 8" JR 2K (5291), 575 HMI Par (6491)
9 5/8	245						9205		3710	
10	255						9225		3710	Mole Par 1K (2271), 1200 HMI Par (6371), 1200 DayLite Par (6631), Mighty 2K (4091) *1
10 1/8	256						9195		3710	Studio JR 2K (412)
10 1/4	261						9215		3710	
10 5/8	269						9235		3710	
12	306						9245		3710	2500 HMI Par (6381), 10" 2K Jr (4341)
12 3/8	314						9255		3710	
12 3/4	324						9265		3710	
13 1/2	342						9305		3710	Baby SR 5K (4191), 4K Mole Par HMI (6491), 2.5/4K DayLite Par (6641), 5K Tungsten Par (6741)
14	355						9315		3710	
15 1/2	394						9325		3710	2500 Fresnel HMI (6261), Senior 5K (415)
15 3/4	400						9345		3710	
16 1/8	411						9365		3710	
18 1/2	470						9405		3710	4K Fresnel HMI (6271), 6K Fresnel HMI (6281), Baby Tener 10K (4181), 14" 5K Sr (4351)
19 5/8	499						9425		3710	
20	508						9435		3710	
21	530						9445		3710	Tener 10K (416), 20" 10K (4371), 12K MolePar (6601), 12/18K Daylight Par
21 1/2	546						9455		3710	
22 7/8	581						9465		3710	
24 1/2	622							9834	3725	
26 1/2	670							9844	3725	
27 3/4	706							9854	3725	
28 7/8	734							9864	3725	
29	735							9464	3725	Big Eye Tener (4241), 12K HMI, Big Mo 20K (4251), 12/18K DayLite Fresnel (6801) (6351)

Circular Speed Rings are designed to fit the barn door ears of your light. Note that this diameter may differ from the standard scrim size used. Double check your Speed Ring selection by measuring the diameter between the barn door ears. Compare this with the figures in the Speed Ring Diameter column. *A Actual size is mm, inches are for reference only. *B Call for OctoPlus and Quick Release Ring Stand Adapter compatibility.

ARRI ARRI.COM	LTM	STRAND QUARTZ COLOR *3	DESISTI DESISTI.IT	CINEMILLS CINEMILLS. COM	PHOTON BEARD.COM	K5600 K5600.COM	OTHER
150 Fresnel	Pepper 100, 24W HM						Dedo Dedolight 100/150
	Pepper 200/300/420 Bonzai 200	Bambino 500 EU, HMI 200 EU Mizar 200/500, Pulsar Strand 200 Fresnel					Ianiri Minispot 300-500W
Compact 125 HMI, 300 Plus Fresnel, 200 Pocket Par/ Pocketlite, LX 200	Pepper 650	Bambino 200/500 NA, HMI 200 NA				Joker 200	Altman 300L, ColorTran NSI Mini-Pro Dedo 200/400D-350, 300, 500/600-436, Kobold DW 200
ARRILITE 600							Colortran MiniPro
			Magis 300/500/650, HMI SE200				Sunray 200 SE Combo, DN Labs 200 Sachtler Director 300H & 125D
	Cinepar 200, Sungun 270, 200SE, Flood 650, Light Gun 250		Micro 1K, Remington 200/400 Tiziano 200				
ARRISUN 2, Compact HMI 200, 650 Plus Fresnel, 400 PocketPar/Pocketlite					Redhead 650, 800, 1K	Joker 400	Altman 650L, Calumet 650
	Luxarc 200, Cinepar SE 575	Bambino 650, HMI 400, Par 200					Kobold DWP 200/400, DL 200/400, DF 400, TF 650/1000, DN Labs 400, Kobold DW 400
ARRILITE 650/800/1000	Pepper 500/1K Old Cinepar 575	Polaris Bambino 1K Fresnelite 1K	Remington 575, Rembrandt SE 575/SE1200 Leo & Monet 1K, Echo, Piccolo SE 2K	SE Par 200, 575			Sunray Par 575, Ianiri Solaris 650/1K/1200, Altman 1K-AF, ETC Source Four Par 575
T1, L7, D5, 1000 Plus Fresnel, Compact HMI 575, 575 Par, ARRISUN 5						Joker 800	
		Bambino 1K, HMI 575, Polaris 1K MK1, Sirio 575 MK1, Castor Bambino 2K MK1					Altman 575SE & 1000L, DN Labs 575, AAdyn Jab *4
575 AD				Bardwell 1K			Sachtler Director 575D, 1000H & 2000C Sunray 457, 575 SE Par
Par 1200	Luxarc 575, Cinepar 1200 Pro 575	Par 575, Polaris 1K MK2, Sirio 575 MK2, Castor Bambino 2K MK2		Par 1200		Joker 1200, 1600 *6	Kobold DF1200, TF 2000 Kobold DW 800 *5
T2, D12, 2K Fresnel, 1K Studio Fresnel, Compact HMI 1200	LT 1K, Pro 1200						Altman 1200SE, 1000S, 2000L Sachtler Old Production 1200D, AAdyn JAB *4
ARRILITE 2000, Old ARRISUN 1200, ARRILITE 2K Plus		Fresnelite 2K					Speedotron 8" Fresnel Spot
SE Par 1200				SE Par 1200, 575 W.B.			DN Labs 1200, Sunray 1200/2500 SE Par
			Remington Par 1200 (Old)		Photon Beard 2K		
		Studio 1K, Bambino 2K *3, HMI 1.2K, Blond 2K, Quasar 1.2K, Super Quasar 2.5K			2K Blonde, 2K Platinum Blonde		Ianiri 2K (1610)
	Luxarc 1200					Joker 1600 *7	DN Labs SE 1200, SE 2500
		Studio 2K, Bambino 5K, HMI 2.5K, Par 1.2K, Castor 2K, Pollux Bambino 5K, Sirio 1.2K, Super Quasar 4K	Leo & Monet 2K, Rembrandt SE 1200/2500 Remington SE 1200 (New), Piccolo SE 5K				
1200 AD	LT 2K, Cinepar 2500, Pro 2500	Studio 2K *3					
ARRISUN 12 Plus, Studio 2K, Compact HMI 2500, SE Par 2.5/4K, 5K Fresnel, ARRI M18, T5, D25, ST2/3 ARRISUN 18		Pollux Bambino 5K LA, Castor 2K LA, Super Nova 2.5K		SE Par 2500, 4K			Altman 2500SE, 2000S, 5000L AAdyn ECO 3200 + AAdyn PUNCH *4
							Sachtler Director 2025H, 3750H, 5025H, 1225D, 2500D, & 4000D Sunray 4K SE Par
2500 AD							
SE Par 6K	LT 5K, Luxarc 2500 Pro 4K, Cinepar 4K	Studio 5K, Bambino 10K, HMI 4K, *3, Pollux 5K, Vega 10K, Sirio 2.5K, 4k, 6k, Super Nova 4K	Remington 2.5/4K, Rembrandt SE 4K, Par 4K Leonardo 5K, Rembrandt 6K, Piccolo 6K/10K	SE Par 6K			DN Labs SE 4K
ARRISUN 40/25, 2.5/4K Compact HMI 4K, 5K Studio Fresnel, M 40/25, ST 5		Par 4K *3				Power56 Alpha 4K	Altman 4K SE, 5K S,
	LT 10K, Luxarc 4K						
	Cinepar 6K/12K, Prolight 6K/12K						Sunray 6K SE Par
ARRISUN 60, Par 6K, Studio 10K, T12, 12K Fresnel, Compact HMI 6K							
4K AD, 6K AD, Compact HMI 12K		6k Par HMI, 5K Par TH	6K, Leonardo 10K/12K, Remington 6K/12K				
ARRISUN 120		6k Par HMI, 5K Par TH	6K, Leonardo 10K/12K, Remington 6K/12K				
			12K, 18K, 20K (24" fresnel)				
		E.U. 12K, 18K, 20K					
Daylight 12K/18K, 20K, T24, 24K, ARRIMAX 18		US 12K, 18K & 20K		12K, 18K, 20K		Power56 Alpha 18K	Sunray 12K, 18K, 20K, 24K, DN Labs 12K,
Ruby 7	12K, 18K, 20K, 12-18K Cinepar						

*1 preferred Speed Ring for this light is found in the Dedicated Speed Ring Table. *2 Of the two frame sizes available for 9 inch rings the Video PRO and Daylite JR Speed Rings are more compact. Quartz and Daylite rings prevent any obstruction of the light. *3 Strand has been redesigned a number of times with different sized accessories. Please measure the distance between the barn door holders of your lights to insure that you are purchasing the correct ring. *4 Use 8325 Dual Block Lightbank. *5 Requires Bron Adapter 744-0300. *6 Classic Beamer. *7 Zoom Beamer.

► DEDICATED SPEED RINGS FOR CONTINUOUS SOURCE LIGHTS

See Page 23

MANUFACTURER	LIGHT FIXTURE	VIDEO PRO LIGHTBANK		OCTAPLUS	DAYLITE JUNIOR	QUARTZ/ DAYLITE	APPLICABLE STAND
		STANDARD	QUICK RELEASE *8	LIGHTBANK *9	LIGHTBANK	LIGHTBANK	ADAPTOR *8 , *9
		ITEM #	ITEM #	ITEM #	ITEM #	ITEM #	
Lowel www.lowel.com	Tota-light *4	9510	9510QR	9510OP			3860 (Incl.)
	Triple Tota-light *2 *5					9035	3710 (Incl.)
	DP light	9505	9505QR	9505OP		9015 *6	3770/3700
	Omni-light	2935	2935QR	2935OP			3770/3700
	Quad Omni					9025	
	Pro-light, I-light, L-light	2945					3770
	V-light	2955					3770
	Fren-L 650	2960			2962		
Mole-Richardson www.mole.com	Mickey 1K (4081)	9540			9542		3770/3860/3865
	Nooklite 1000	9520			9522		3770 (incl.)
	Mighty 2K (4091)	9735 *1				9735	3710
	Teenie 650 (4051)	9565					3770
ARRI www.arri.com	Mini Flood	9520			9522		3770 (incl.)
	ARRILUX 125 & 200 Pocket Par	9790					3770/3860/3865
	ARRILITE 650/800/1000	2900					3770
	Lighthouse LX200	9800		9800OP			
	Lighthouse LX400	9805		9805OP			
	ARRI X40/25*10					9755	3710
	ARRI X2	9815					3770
	ARRI X5					9825	3710
	ARRI X12					9835	3710
Strand	Redhead 650/1000	9560					3770
Quartz Color	Reporterlight 200	9710					3770/3860/3865
DeSisti/Cosmo www.desisti.it	RC 110	9520			9522		3770 (incl.)
	7200/RC 200	9735 *1				9735	3710
	RC 80/100 F	9560					3770
Ianiro www.ianiro.com	Cosmobeam 800/1000 (Redhead)	9560					3770
	Gulliver	9860					3770
	Lilliput	9550					3770
	Compact Beam 2K (1600) (Blonde)	9765 *1				9765 *1	3710
Sachtler www.sachtler.com	Reporter 100H/250H/300H/125D	9570					3770/3860/3865
	Reporter 200D	9575					3770/3860/3865
	Reporter 650H & 270D	9580					3770/3860/3865
Bron Kobold www.bron-kobold-usa.com	Dlf 575 SES	9735 *1				9735	3710
	Reporter DLF 200, DF 200 SM 300, RL 250, RL 300, TF 300	9710					3770/3860/3865
	Reporter SE 200/300, Reporter 650 DLF 200, 400SES, RL650S	9720					3770
	DLF 200SES, DWO 200/400, RL 650	9875					
	DLF 1200SES/2500SES					9745	3710
Miscellaneous	K5600 Bug-Lite 200/400	9780	9780QR	9780OP			3770/3860/3865
	K5600 Bug-Lite 200/400/800/1600 *7	9780AL	9780QR	9780OP			3770/3860/3865
	RDS Unifocus 575	9590					3770
	LTM Cinespace	9780AL	9780QR	9780OP			3770/3860/3865
	Broncolor 575	2090AL	2090QR	2090OP			3770/3700
	Broncolor 400 HMI	9875					
	Photon Beard Mini Broad	9510					
	Chimera Socket Ring	9830			9832		3860 (Incl)
	Chimera Socket Ring Euro Plug	9840			9842		3860 (Incl)
	Chimera Triolet™	9890	9890QR	9890OP			3860/3865
Profoto	The Light					9045	
	Pro Daylight 200/400/800	2330AL	2330QR	2330OP			3770/3700
	Tungsten 500/1000	2330AL	2330QR	2330OP			3770/3700

Table notes:

*1 Can use with 8132 - 8137 Video Pro 2K Lightbanks. 2K Open-face fixtures only. *2 Holds up to three lights. *3 Holds up to four lights. (Know the heat limitations of your lights.) *4 Includes CHIMERA Stand Adapter. *5 Includes Quartz Stand Adapter and a 2 1/2 Grip Head Adapter. *6 The 9015 is the best choice of Speed Rings for using four Strobe Heads with a Quartz Bank. *7 The K 5600 800/1600/Aluminum Rings only. *8 #3700 is recommended Stand Adapter for the Quick Release Rings. *9 OctaPlus and others use the preferred #3770 Stand Adapter. *10 Serial #426 forward 414mm call for old style.